



ఆంధ్రప్రదేశ్ రాజపత్రము
THE ANDHRA PRADESH GAZETTE
PUBLISHED BY AUTHORITY

PART I EXTRAORDINARY

No.330

AMARAVATI, THURSDAY, MARCH 7, 2024

G.4009

NOTIFICATIONS BY GOVERNMENT
GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Water Resources Department – Minor Irrigation – Krishna District – Administrative Sanction for the work of "Desilting of Yerakaluva and Yebalavagu, providing Cement Concrete walls at vulnerable location of Yerakaluva and Yebalavagu leading to the Jaggaiahpetta Ura Tank of Jaggaiahpetta (V) & (M) in Krishna District for an amount of Rs.565.00 Lakhs – Orders – Issued.

WATER RESOURCES (MI.A) DEPARTMENT

G.O.Rt.No.159

Dated: 07.03.2024

Read:

From the Chief Engineer, Minor & Medium Irrigation,
Vijayawada, Letter
No.DCEII/OT2/T2/SDS/Krishna/CMP.No.2302-Jaggaiahpet
Constituency/ AA/2021, dated: 21.09.2021, 31.01.2022,
18.07.2022, 18.11.2022 and 21.09.2023.

<<<<>>>>

ORDER:

In the letters read above, the Chief Engineer, Minor & Medium Irrigation, Vijayawada, while submitting the estimates for the work "Desilting of Yerakaluva and Yebalavagu, Providing Cement Concrete walls at vulnerable location of Yerakaluva and Yebalavagu leading to the Jaggaiahpetta Ura Tank of Jaggaiahpetta (V) & (M) in Krishna District" has requested to accord administrative sanction for an amount of Rs.577.50 Lakhs under Head of Account 4702-00-101- 11 – 12 –530/531.

2. Government after careful examination, hereby accord administrative sanction for an amount of Rs.565.00 Lakhs (Rupees Five hundred Sixty Five Lakhs only) for the work "Desilting of Yerakaluva and Yebalavagu, Providing Cement Concrete walls at vulnerable location of Yerakaluva and Yebalavagu leading to the Jaggaiahpetta Ura Tank of Jaggaiahpetta (V) & (M) in Krishna District", under Head of Account 4702-00-101- 11 - (12) - 530/531, in relaxation to FRBM Norms, subject to condition that the Chief Engineer, Minor & Medium Irrigation, Vijayawada shall ensure the following before according technical sanction:

1	The correctness of provisions, quantities and rates proposed in the estimate.
2	The design/drawings may be approved by the competent authority
3	In the estimate instead of de-silting rate, excavation rate is proposed. Ensure correctness of the same.

3. The Chief Engineer, Minor & Medium Irrigation, Vijayawada shall take necessary action in the matter, accordingly.

4. This order issues with the concurrence of Finance (FMU-WR.I) Department vide their U.O. No.FIN01-FMUORBAB (WR1)/86/2022-FMU-WR-I, (Computer No:1713720), dt.05.03.2024.

5. Copy of the order is available in the **apegazette.cgg.gov.in** website.
(BYORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

SHASHI BHUSHAN KUMAR
PRINCIPAL SECRETARY TO GOVERNMENT

To
The Chief Engineer, Minor & Medium Irrigation, Vijayawada.
The District Collector, Krishna District.

Copy to:

The Accountant General, Andhra Pradesh, Vijayawada.
The Director of works Accounts, Vijayawada.
The Finance (FMU.WR.I) Department.
The PS to Hon'ble Minister (Water Resources).
The PS to Hon'ble Minister (Finance).
The PS to Principal Secretary to Government, Water Resource Department.
SF/SC.

//FORWARDED::BY ORDER//

SECTION OFFICER

